

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L16	2	"20010011308".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/23 15:23
L19	3	(US-20030093694-\$ or US-20020147820-\$).did. or (US-5442708-\$).did.	US-PGPUB; USPAT	OR	ON	2007/05/23 16:14
L20	2	19 and header with ip	US-PGPUB; USPAT	OR	ON	2007/05/23 16:25
L21	1	19 and ipv	US-PGPUB; USPAT	OR	ON	2007/05/23 16:25
L22	3	19 and ip	US-PGPUB; USPAT	OR	ON	2007/05/23 16:25
L23	3	19 and ip\$3	US-PGPUB; USPAT	OR	ON	2007/05/23 16:25
S1	0	modif\$6 with header with session and Key with distribut\$6 with center and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 15:15
S2	5	modif\$6 with header and Key with distribut\$6 with center and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 15:16
S3	24	modif\$6 with header with key with information and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 15:18
S4	10	ipv4 near2 header with key and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 15:20
S5	529	key near2 (distribut\$6 or manag\$6) with session and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 15:21
S6	35	key near2 (distribut\$6 or manag\$6) with session and ipv4 and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 15:32
S7	16	IPsec and KDC and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 15:38

EAST Search History

S8	0	KDC with session near3 (id or identif\$8) with sender with recei\$6 and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 15:38
S9	0	KDC with session near3 (id or identif\$8) with sender with recipient and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 15:39
S10	0	KDC with session with sender with recipient and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 15:39
S11	7	KDC with session with (id or identif\$7) and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 15:50
S12	1	KDC with sender with (receiver or recipient) and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 15:53
S13	2	KDC same sender with (receiver or recipient) and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 15:53
S14	0	KDC with retriev\$6 with key with (id or identif\$6) and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 15:54
S15	26	KDC with key with (id or identif\$6) and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 15:58
S16	42	key near2 (server or distribut\$6) with intermediat\$6 and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 15:59
S17	67	key near2 (server or distribut\$6) with intermedia\$6 and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 16:00
S18	26	retriev\$5 with key with session near2 (id or identif\$6) and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 16:06
S19	498	key with session near2 (id or identif\$6) and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 16:06

EAST Search History

S20	20	key with session near2 (id or identif\$6) with header and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 16:11
S21	0	fragmentation adj identification with header and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 16:12
S22	37	fragmentation adj identification and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 16:12
S23	362	fragment adj offset and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 16:12
S24	148	fragment adj offset with header and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 16:12
S25	0	fragment adj offset with header with key and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 16:12
S26	57	fragment adj offset with header and key and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 16:15
S27	81	encrypt\$5 with header with modif\$6 and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 16:17
S28	6	(chang\$6 or modif\$6) near4 (packet or data) near2 header with key near2 (information or data) and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 16:18
S29	13	(chang\$6 or modif\$6) near4 (packet or data) near2 header with key and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 16:20
S30	101	encrypt\$5 with (modif\$7 or chang\$6) near4 header and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 16:27
S31	835	(modif\$7 or chang\$6) with IP with header and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 16:29

EAST Search History

S32	18	(modif\$7 or chang\$6) with IP with header with encrypt\$6 and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 16:35
S33	193	ip with packet with secur\$7 and key with (distribut\$6 or server) and session and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 16:47
S34	20	(distribut\$6 or manag\$7) near4 session with key with IP and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 16:54
S35	0	KDC with generat\$6 with large with keys and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 16:54
S36	0	KDC with generat\$6 with many with keys and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 16:55
S37	0	KDC with generat\$6 with great with number and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 16:55
S38	54	KDC with generat\$7 with key and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 16:56
S39	335	large with quantity with keys and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 16:56
S40	399	large near2 (quantity or amount) near4 keys and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 16:56
S41	1	large near2 (quantity or amount) near4 keys and KDC and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 16:57
S42	3	large near2 (quantity or amount) near4 keys with server and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 16:57
S43	2	(US-20020147820-\$).did. or (US-5442708-\$).did.	US-PGPUB; USPAT	OR	ON	2007/03/01 17:02
S44	1	S43 and KDC	US-PGPUB; USPAT	OR	ON	2007/03/01 17:02

EAST Search History

S45	295	encrypt\$6 with session near2 (id or identif\$7) and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 17:25
S46	1	encrypt\$6 with session near2 (id or identif\$7) with KDC and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 17:26
S47	1	session near2 (id or identif\$7) with KDC and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 17:26
S48	6	encrypt\$6 with session near2 (id or identif\$7) with key near2 (manag\$6 or distribut\$7) and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 17:27
S49	0	reconstruct\$7 near3 header and KDC and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 17:28
S50	10	reconstruct\$7 near3 header and key with (manag\$6 or distribut\$6) and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 17:31
S51	59	session near2 (id or identif\$6) with key with (manag\$6 or distribut\$6) and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 19:53
S52	152	session with (id or identif\$6) with key with (manag\$6 or distribut\$6) and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 19:53
S53	93	S52 not S51	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 20:22
S54	6	key near information with embed\$6 with header and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 20:24
S55	4	session near3 key near information with header and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 20:27
S56	133	session near3 key with header and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 20:37

EAST Search History

S57	84	session near3 key with header and session with (identif\$8 or id) and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 20:37
S58	46	session near3 key with header and session near3 (identif\$8 or id) and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 20:40
S59	200	380/278,279.ccls. and session and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 20:46
S60	132	380/278,279.ccls. and header and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 20:50
S61	61	380/278,279.ccls. and header and session and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 20:58
S62	40	380/278,279.ccls. and header with key and session and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 21:04
S63	11	380/278,279.ccls. and kerberos with session with key and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 21:10
S64	1	"20030039361".pn. and header and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 21:10
S65	1	"20030039361".pn. and encrypted near2 key and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 21:18
S66	1	"20030093694".pn. and decrypt\$6 and @ad<="20021015"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/03/01 21:18